

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	193	spacer with alignment with drain	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 16:57
L5	1	("20050205926").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/16 18:24
L6	1	L5 and spacer	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 18:25
L7	0	photoresist with etch with conformability	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 18:42
L8	138	photoresist with etch with conform\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 18:45
L9	45	photoresist with etch with conform\$3 same dielectric	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 18:46
L10	4778	photoresist near3 dielectric	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 18:47
L11	705	photoresist near dielectric	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 18:47
L12	0	photoresist near dielectric adj constand	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 18:47
L13	0	photoresist with dielectric adj constand	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 18:47

## EAST Search History

L14	579	photoresist with dielectric adj constant	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 18:47
L15	84	photoresist near3 dielectric adj constant	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 18:47
S1	14	"5,567,965" "6,297,108" "6,355,955"	US-PGPUB; USPAT	OR	OFF	2005/05/17 15:46
S5	23	resistance adj5 length and channel and ldd near3 resistance	US-PGPUB; USPAT	OR	OFF	2005/05/17 16:48
S20	22	(US-20040188755-\$).did. or (US-4245230-\$ or US-4698653-\$ or US-4717847-\$ or US-4990461-\$ or US-4990975-\$ or US-5084401-\$ or US-5164801-\$ or US-5183771-\$ or US-5497028-\$ or US-5786247-\$ or US-5864162-\$ or US-5933020-\$ or US-6027964-\$ or US-6153517-\$ or US-6180957-\$ or US-6295630-\$ or US-6407573-\$ or US-6563150-\$ or US-6632709-\$ or US-6197646-\$ or US-6605842-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/05/18 15:28
S47	1	("20050205926").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/16 18:24
S48	2	((("6797594") or ("6528848")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/16 13:51
S49	8	"6797594" or "6528848"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 14:47
S50	1598	(channel adj resistance on adj resistance on-resistance) same length	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 14:47
S51	33	resistance adj5 length and channel and drain and "cm.sup" and @pd>"20050517"	US-PGPUB; USPAT	OR	OFF	2006/06/16 14:49
S52	7	(JP-2001094094-\$ or US-20010012671-\$ or US-20020167088-\$ or US-6528848-\$ or US-6605842-\$ or US-6797594-\$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/16 14:57

## EAST Search History

S53	5	channel adj resistance adj5 length and drain and @pd>"20050517" not S51	US-PGPUB; USPAT	OR	OFF	2006/06/16 14:58
S54	1	"6,528,848" and @pd>"20050517"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/16 15:00
S56	382	(257/210,211,327,335,336,339,344, 408,412,913).CCLS. and @pd>"20050912"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/16 15:01
S57	3	resistance adj5 length and channel and ldd near3 resistance and @pd>"20050912"	US-PGPUB; USPAT	OR	OFF	2006/06/16 15:02
S58	5	("5,567,965" "6,297,108" "6,355, 955") and @pd>"20050912"	US-PGPUB; USPAT	OR	OFF	2006/06/16 15:02
S59	2	S58 and implant	US-PGPUB; USPAT	OR	OFF	2006/06/16 15:02
S60	21	(US-20040188755-\$).did. or (US-4245230-\$ or US-4698653-\$ or US-4717847-\$ or US-4990461-\$ or US-4990975-\$ or US-5084401-\$ or US-5164801-\$ or US-5183771-\$ or US-5497028-\$ or US-5786247-\$ or US-5864162-\$ or US-5933020-\$ or US-6027964-\$ or US-6153517-\$ or US-6180957-\$ or US-6295630-\$ or US-6407573-\$ or US-6563150-\$ or US-6632709-\$ or US-6197646-\$ or US-6605842-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/06/16 15:02
S61	3	channel adj resistance adj5 length and drain and @pd>"20050912" not S51	US-PGPUB; USPAT	OR	OFF	2006/06/16 15:04
S62	9	on-resistance with ohm and mos and @pd>"20050912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/16 15:04
S63	4	(on resistance or source near3 contact resistance) and ohm and @pd>"20050912"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/16 15:04
S64	129	resistance adj5 length and channel and drain and @pd>"20050912"	US-PGPUB; USPAT	OR	OFF	2006/06/16 15:05